STATE OF ILLINOIS

ILLINOIS COMMERCE COMMISSION



Petition for permission to make a major change in crossing

(Attorney's Address)

1-11863

Illinois Commerce Commission RAIL SAFETY SECTION

| | or to install new protection under 92 Illinois ive Code 1535.400 (d). | 781-0070 | Date: August 30, 2002 |
|-------------------|---|--|--|
| To the ILL | INOIS COMMERCE COMMISSION: | | |
| The petitio | ner Norfolk Southern | n Railway Company | shows |
| (1) | That it is a railroad company operating a | line of railroad in the S | tate of Illinois. |
| (2) | That petitioner proposes and hereby make protection, or to install new protection, unthis Commission. | es application for authon nder 92 Illinois Admini | rity to make a major change in crossing strative Code 1535.400 (d) adopted by |
| (3) | That the location of the crossing, nature of and other pertinent facts in connection the part of this petition. | of protection now estable erewith, are set forth in | ished and proposed to be established, the statement attached to and forming |
| (4) | That petitioner's reasons and purpose, wit | th reference to its said p | roposal are to: |
| | Modification of Grade Crossing Warnin at: Caldwell St. in Jacksonville, Morga | - | |
| | File No. 061-04.318 | | Project No. 04.0504 |
| (5) | That the facts set forth in this petition and them, true and correct to the best of petition | l in the statement and pl oner's knowledge and b | ans or plats attached thereto, are, all of elief. |
| he aforesa | ORE, the petitioner prays that the Com aid matter for hearing, and that the Com nting authority for the making of the sai | amission enter an ordo | er or adopt at resolution consenting |
| 9 | | | folk Southern Railway Company |
| | | Ву | PNB - |
| | | | R. H. Ray, Administrator Highway Grade Crossings |
| | omas W. Ambler orney for Petitioner) | | |
| Three C | Southern Corporation Commercial Place . VA 23510-2191 | | , |

-1-

Statement, attached to and part of an application for permission to make a major change in crossing protection or to install new protection, under 92 Illinois Administrative Code 1535.400(d).

| 1. | Name of Railroad Company | Norfolk Southern Railway Company |
|-----|---|---|
| 2. | Crossing Number | 479 413 V |
| 3. | Village or City | Jacksonville |
| 4. | Name of Street or Highway | Caldwell Street |
| 5. | Public Agency Maintaining Highway | City |
| 6. | Protection now established: | |
| | Automatic Flashing Light Crossing Sig | nals with Bell and Crossbucks |
| | | |
| | | |
| | | |
| 7. | Protection desired: | |
| | Modify grade crossing warning devices | s to Flashing Light Crossing Signals with Gates |
| | controlled by constant warning time de | tection devices. |
| | | |
| | | |
| 8. | Number of main tracks One | Other tracks None |
| 9. | Number of passenger movements: | |
| | 6 a.m. to 6 p.m. None | 6 p.m. to 6 a.m. None |
| 10. | Number of freight train movements: | |
| | 6 a.m. to 6 p.m7 | 6 p.m. to 6 a.m |
| 11. | Approximate number of switch movemen | ts: |
| | 6 a.m. to 6 p.m. 1 | 6 p.m. to 6 a.m1 |
| 12. | Maximum speed of trains at crossing on e | ach track in each direction: |
| | North/East 50 M.P.H. | |
| | South/West 50 M.P.H. | |
| 13. | Passenger platforms served by tracks with | in the limits of track circuits, if any <u>None</u> |
| | | |

| 14. Where automatic signals or gates are proposed, approximate number of train or engine movements daily which would cause false indications or operation: |
|--|
| None |
| 15. Nature and approximate amount of street or highway traffic over crossing: |
| 1,000 AADT including cars and trucks |
| 16. In addition to the information listed hereinbefore in Form 3, attach a track plan or plat of the propos crossing. This plan should show: |
| (a) Width and surface of highway. |
| (b) Highway intersections (including private driveways to be so indicated) and location of established highway signs or signals within 100 feet of crossing. |
| (c) Location of tracks, switches and other railroad facilities such as block signals, etc. within limits of track circuits, present and/or proposed. |
| (d) Where automatic protection is proposed, show proposed location of signals (side lights, cantilevers, etc., if any). |
| (e) Show the length of each operating track section within the control limits of the crossing protection and its function. |
| ADDITIONAL INFORMATION |
| Drawing attached for question no. 16 |
| |
| |
| |
| |
| |
| |
| |

(File Original and Two Duplicates)

VERIFICATION

| I, R. H. Ray | , first being duly sworn upon oath depose and say that I am |
|--|---|
| Administrator – Highway Grade Crossing | gs , of <u>Norfolk Southern Railway Company</u> , a |
| | he above and foregoing petition by me subscribed and know the abstance and in fact, except as to those matters stated upon a same to be true. |
| | DER |
| | Administrator - Highway Grade Crossings |
| | |
| | |
| Subscribed and sworn to before me this30 | |
| day of 20 <u>02</u> | <u>.</u> |
| Notary Public (Georgia) or Witness | |
| My Commission Expires: | |



Detailed Estimate for Grade Crossing Warning Devices

City/State: JACKSONVILLE, IL

Road: CALDWELL ST.

MilePost: DH-448.76

DOT/AAR: 479413V

State Proj. No.:

County: MORGAN

S&E Proj. No.: 04.0504

AFE:

Man Days: 120

File Number: 061-04.318

Purchases - Other

Meals and Lodging:

\$9,560.00

Rental of Equipment:

\$20,910.00

(2 Trucks, 1 Backhoe w/ Trailer and 1 Pipe-Pusher for 30 Days)

Construction Supervision Vehicle:

\$390.00

Contingencies:

\$540.00

Purchases - Other Total:

\$31,400.00

*** Material and Additives***

Material Cost:

\$67,230.00

Sales and Use Tax:

\$3,360.00

Material Handling Freight:

\$6,390.00

Material Total:

\$76,980.00

Labor and Additives

Labor Cost:

\$24,600.00

(4 man crew at \$820.00 a day for: 30 days)

Payroll Tax & Overheads:

\$21,300.00

Preliminary Engineering:

\$8,080.00

Construction Supervision:

\$6,940.00

Labor Total:

\$60,920.00

Subtotal:

\$169,300.00

Credit:

\$0.00

(Salvage/Scrap)

Project Total:

\$169,300.00

Estimated on: 12-Aug-02

Estimated by: ndr3j

Estimate valid for 1 year from date of estimate



Highway Crossing Signalization Program - Material List

Do not substitute items without permission from S & E Engineering

| Vendor to supply the following copies after pricing: | Tax Code: | Supervisor: | Store Number: | A F E Number: | File Number: | Project Number: | A A R Number: | County: | State Project Number: | Drawing Number: | Milepost | Road: | City: |
|--|-----------|------------------|---------------|---------------|--------------|-----------------|---------------|---------|-----------------------|-----------------|-----------|--------------|--------------|
| copies after pricing: | 1200 | D.J. HOLLINGSEAD | | | 061-04.318 | 04.0504 | 479413V | MORGAN | | SFDH44876 | DH-448.76 | CALDWELL ST. | JACKSONVILLE |

Set - Material Management with original invoice
 Sets - with plans shipped in car with material
 Set - S&E Gen. Supt. Construction w/ copy of invoice

| Store No.: | No.: | | P.O. N | P.O. Number: | Date Required: Date Shipped: | ed: | | Vendor: | | Safetran Systems Corp | Corp. |
|----------------|---------------|-------------|-------------------|--------------|--|---------------------|----------------------|---|---------------|----------------------------------|---------|
| Q _y | Class-Item-CD | ⊆ | Price per Item | Total Price | Item Description | Quantity Shipped | Qua Date Quan. | Quantity Installed B Date D Cuan. Quan. Quan. | Date Quan. | Quantity Returned (Credit) | Special |
| ω | 670-360693-4 | EA | \$4.82 | \$14.46 | AAR/DOT NUMBER PLATE/DECAL,ORDER 3 PER PROJECT. 60 DAY LEAD TIME. SUPPLIED BY S'TRAN | | | | | | |
| N | 670-001321-4 | ₽ | \$246.66 | \$493.32 | ARM, GATE FIBERGLASS-ALUMINUM 17-24 FT., L&W OR US&S OR SAFETRAN 076600-240017 OR | | | | | | |
| œ | 670-119241-4 | EA | \$30.60 | \$244.80 | ARRESTOR, LIGHTNING HEAVY DUTY CLEAR VIEW SAFETRAN 022585-1X | | | | | | |
| 13 | 105-871901-4 | ĘĄ | \$154.22 | \$2,004.81 | BATTERY,GNB 265AH MODEL 50A11 SINGLE CELL 2.25 VOLTS | | | | | | |
| · | 670-503047-4 | Ę | \$185.75 | \$185.75 | BELL, CROSSING ELECTRONIC GENERL SIGNAL, EB-3-360-5 CR 02-044350 | | | | | | |
| ω | 670-058281-4 | Ę | \$11.25 | \$33.74 | BLOCK, UNIVERSAL TERMINAL OF 12 SINGLE POST SAFETRAN 023390-11X, W-C 2508-112E W-NUTS & WASHERS CR 02-048757 | | | | | | |
| 2 | 670-561375-4 | EA | \$1,201.20 | \$2,402.40 | BRACKET, GATE SAVER, NEG385102GS, SPRING LOADED SWING AWAY ADAPTER FOR FIBERGLASS/ALUMINUM GATES, USE WITH GATE 28' AND LESS | | | | | - | |
| 2 | 670-000977-4 | Ē | \$57.98 | \$115.95 | BRACKET, HIGH WIND SUPPORT HARMON @54-00139, SERRMI @50044 SAFETRAN 076203-518X | | | | | | |
| 300 | 465-292862-4 | 듁 | \$1.00 | \$300.87 | CABLE, U-2-6 TWISTED, S-23 OKONITE 113-12-3933 SOLID TINNED CONDUCTOR | | | | | | |
| 300 | 465-292929-4 | 듀 | \$3.00 | \$899.58 | CABLE, U.G. 5 COND. NO. 6 AWG SOLID COPPER CABLE TO MEET NS CORP. SPEC. FOR SIGNAL | | | | | | |
| 1900 | 465-939422-4 | F | \$2.56 | \$4,861.15 | CABLE, UG 12 CONDUCTOR NO 14 AWG SOLID EACH CONDUCTOR WITH 5/64 IN INSULATION 10 MIL | | | | | | |
| 2000 | 465-292614-4 | \frac{1}{2} | \$1.28 | \$2,558.60 | CABLE, UG 18 PAIR NO. 19 JELLY FILLED, USED FOR CODE CABLE AT AREAS ELECTRONIC CODING EQUIP. | | | | | | |
| 300 | 465-277674-4 | 긔 | \$2.80 | \$841.23 | CABLE, UG 3CD NUMBER 6 FOR HIGH CURRENT AC POWER OKONITE 206-11-6 243 | | | | | | |
| 88 | 165-544477-4 | 7 | \$2,00 | \$159.65 | CONDUIT, 4"x10" PVC, SCHEDULE 80 BELL CONNECTOR AT ONE END, 1/2 PT. GLUE IN KIT 670-123298-4 | | | | | | |

APPROVED BY RAILROAD

CAR NUMBER

| Locatio | Location: JACKSONVILLE | | ι | SAE Proj. No 04.0004 | | | | ndor · Saf | Vendor · Safetran Systems Corp | Corp |
|------------|------------------------|--------|-------------------|----------------------|---|---------------------------|---------------------------|---|--------------------------------|--|
| Store No.: | No.: | | P.O. N | P.O. Number: | Date Required: Date Snipped | | | Table 1 | Suali Oystellis | C 20 7. |
| Oty. | Class-Item-CD | ⊆ | Price per Item | Total Price | Item Description | Quantity D: Shipped Qu | Quantity Date Da Quan. Qu | Quantity Installed e Date Date n. Quan. Quan. | Quantity Returned Credit | Special Instructions |
| ω | 165-299316-4 | ΕA | \$16.89 | \$50.66 | CONDUIT, PVC CASE OUTLET 4 IN. X 29-1/2 IN. SCHEDULE-80 WITH 4 IN. COUPLING, CARLON E940N, | | : | | | |
| N | 670-090450-4 | ΕA | \$49.62 | \$99.25 | CONNECTOR, WELDED FAR RAIL HARMON A1000-2W | | | | | |
| N | 670-486646-4 | E A | \$40.66 | \$81.32 | CONNECTOR, WELDED NEAR RAIL HARMON A1000-1W | | | | | |
| 2 | 670-793404-4 | ₽ | \$838.38 | \$1,676.76 | COUNTERWEIGHT PKAGE, 17-24'GATE S'TRAN S- MECH ONLY, STAINLESS, TO INCLUDE HUB, SUPPORT ARMS | | | | | . Comment of the comm |
| 4 | 670-760012-4 | EA | \$34.90 | \$139.59 | COVER, FOR 1 WAY FLASHING LIGHT ASSY. 18 OZ. BLACK VINYL COATED NYLON. ====TO COVER 2 | | | | | |
| ω | 670-080337-4 | E E | \$0.73 | \$2.18 | DECAL, X'ING SIGNAL MALFUNCTION 11" X 4", GATE MOUNT | | | | | |
| ω | 670-077544-4 | F | \$0.54 | \$1.63 | DECAL, X'ING SIGNAL MALFUNCTION 6" X 6", MAST MOUNT | | | | | |
| | 670-986650-4 | EA | \$361.26 | \$361.26 | DISPOSAL, CONSTRUCTION DEBRIS AND CLEANING X'ING EQUIPMENT CONTAINER | | | | | |
| | 670-000004-4 | ΕA | \$281.44 | \$281.44 | FCC LICENSE FOR MONITOR/RADIO | | | | | |
| 4 | 670-000003-4 | E A | \$255.85 | \$1,023.40 | FILL/STONE #57, QUANITY IS BASED ON TRUCK LOAD PLUS DELIVERY COST | | | | | |
| N | 670-015231-4 | EA | \$381.69 | \$763.37 | FOUNDATION, DIXIE, S-2 GATE 5'6" ASSEMBLED | | | | | |
| → | 670-930665-4 | ΕA | \$39.86 | \$39.86 | INDUCTOR, SIMULATED TRACK SAFETRAN 8V617-1400 | | | | | |
| <u> </u> | 670-477991-4 | ΕA | \$292.81 | \$292.81 | KIT, GROUNDING ASSY FOR AL I/S INCLUDES 8 GRD RDS,200#4WIRE,12 4 WIRE ONE-SHOTS. ERICO SBK206 | | | | | |
| 2 | 670-123298-4 | m A | \$225.10 | \$450.19 | KIT, HARDWARE SUPPLIES REQUIRED X'ING P'CKAGES. WEB CONNECTORS FOR SHUNT(8EA) TAPE, AMPS, P'GUM PAINT, SLEEVES, TAGS, GLUE, 100 EA WHITE TAGS, INE CAN BLUE MARKING PAINT ETC | | | | | |

APPROVED BY RAILROAD

CAR NUMBER

| | | į | | | • | | | | | | |
|------------|---------------|-----|-------------------|--------------|--|---------------------|----------------------|--|-----------------------|----------------------------------|---------|
| Store No.: | No.: | | P.O. 7 | P.O. Number: | Date Required: Date Shipped: | Ċ. | | Vendor: | | Safetran Systems Corp. | Corp. |
| Qty. | Class-Item-CD | ⊆ | Price per Item | Total Price | Item Description | Quantity Shipped | Qua Date Quan. | Quantity Installed e Date D n. Quan. Quan. | lled Date Quan. | Quantity Returned (Credit) | Special |
| 2 | 670-764166-4 | ΕA | \$907.09 | \$1,814.18 | LAMP ASSY, 5" MAST MTG. 2W IND. 20" BKGRD, FLX-12 W/BULB STRAN #042003-487XNS | | | | | - | |
| თ | 165-643547-4 | 5 | \$8.43 | \$50.60 | LAMP, 18 WATT 10 VOLT S-11 SC BAY 18S11/1SC CLEAR RWY SIGNAL UJ-71463 GE | | | | | | |
| 12 | 670-440826-4 | Ę | \$1.01 | \$12.16 | LINK, SAFETRAN 024620-1X INSL TESTING COMP 1 IN CENTER SIGNAL CIRCUITS CR 02-286662 | | | | | | |
| 4 | 255-590880-4 | ΕA | \$15.62 | \$62.47 | LOCK, AMERICAN LOCK MODEL H-10KA KEYED ALIKE TO PRIVATE KEYWAY D456 AND STAMPED "NS SIG" | | | | | | |
| 2 | 670-637778-4 | m > | \$1,055.55 | \$2,111.09 | MAST, 5" ALUMINUM 13'10" WITH DOUBLE JCT. BOX BASE. S'TRAN P# 070519-11AX. | | | | | | |
| N | 670-521147-4 | EΑ | \$2,932.81 | \$5,865.62 | MECHANISM, GATE MODEL S40, WITH CONTACT HEATER, COMPLETE W/RELAY S'TRAN # 074000-W00090 | | | | | | |
| | 670-839472-4 | ₩. | \$2,901.80 | \$2,901.80 | MONITOR, HWY XING, (DEMA-NS8-5M) W/ DUAL SENSOR & RITRON RADIO, FREQ. COMBO #5, CH 1 = 160.440MHZ, CH 2 = 161.250MHZ. INCLUDES WIRING AND INSTALLATION | | | | | | |
| 4 | 670-001347-4 | Ē | \$57.98 | \$231.90 | PACKAGE, HARDWARE SIGN 5 IN. MOUNTING, SERRMI A1250-5, HARMON @200965-000, OR | | | | | | |
| ω | 610-719870-4 | EA | \$135.90 | \$407.70 | PEDESTAL ASSEMBLY, ARMORCAST P/N P6001205-NS, YELLOW 10"X11"X29" POLYETHYLENE INCL 45" WITH TERMINAL BLOCK | | | | | | |
| - | 670-514605-4 | EΑ | \$8.43 | \$8.43 | PINNACLE, W-C SECT 1-11, 4"& 5" REF K1 110-8 OR SAFETRAN NO. @035045-503X | | | | | | |
| | 670-555609-4 | Ē. | \$41.11 | \$41.11 | PLUGBOARD, TYPE B-1 GRS A62-506 OR HARMON @7062-506 OR | | | | | | |
| | 670-166532-4 | ₽ | \$140.72 | \$140.72 | PROTECTOR, SURGE 3-WIRE PLUS GRD 120/240 JOSLYN ELECTRONICS 1259-21-A FOR I/S AC BREAKER PANEL | | | | | | |
| თ | 465-002899-4 | ΕA | \$20.88 | \$125.26 | REEL, CABLE DISPOSABLE FOR CROSSING SIGNAL PACKAGES | | | | | | |
| | 670-707995-4 | ₽ | \$356.29 | \$356.29 | RELAY, TYPE B1, NEV LINE, 900 OHMS, 008 AMPERES GRS A62-308 OR SAFETRAN @400003 | | | | | | |

APPROVED BY RAILROAD

CAR NUMBER

| Location | | 1 | i | | | | | | | | . ugo 11 |
|-----------|---------------|--------|-------------------|--------------|--|------------|----------------------|--|---------------------|----------------------------------|-------------------------|
| Store No. | Vo.: | | P.O. 7 | P.O. Number: | Date Required: Date Shipped: | <u>α</u> . | | Vendor: | Safetra | Vendor: Safetran Systems Corp. | Corp. |
| Oty. | Class-Item-CD | ⊆ | Price per Item | Total Price | Item Description | Quantity D | Qua Date Quan. | Quantity Installed e Date D n. Quan. Q | led Date Quan | Quantity Returned (Credit) | Special Instructions |
| > | 670-786834-4 | EA | \$6,706.00 | \$6,706.00 | SHELTER, BARE 6X6 ALUMINUM WIFARADAY, SAFETRAN PIN 058400-66-78, WIADJ. PIERS 4 GND LUGS WI48" #4 SOLID COPPER PIGTAIL, 2 SHELVES, 3 TAG BOARDS/SHELF, AND ONE 3' FARADAY SHIELD | | | | | | |
| 2 | 670-793474-4 | m > | \$14.40 | \$28.80 | SHIELD, GROUND (SERRMI# 61223) FOR GROUNDING 12- WAY TERMINAL BLOCK | | | | | | |
| 2 | 670-586967-4 | ₽ | \$34.74 | \$69.49 | SHUNT COVER W/LAG SCREWS, 19"X19", SERRMI #40271, ORDER 1 PER SHUNT | | | | | | |
| N | 670-652773-4 | E A | \$470.56 | \$941.12 | SHUNT, MULTI-FREQ. #62775-1543 SAFETRAN NARROW BAND | | | | | | |
| 2 | 670-806648-4 | E A | \$56.42 | \$112.84 | SIGN, X-BUCK, LESS HARDWARE, SAFETRAN 035200-X CR 02-490546 | | | | | | |
| 2 | 670-751511-4 | EΑ | \$35.58 | \$71.17 | SIGN, "1" TRACK, LESS HARDWARE SAFETRAN# 035207- 1X | | | | | | |
| 2 | 670-006438-4 | ₽ | \$10.54 | \$21.08 | TAPE, 4" X 96" REFLECTIVE APPLY TO BACK OF X-BUCK SIGN. ONLY IN IA., IN., IL., AL. 035200-555X | | | | | | |
| ω | 670-330382-4 | ₽ | \$10.75 | \$32.24 | TAPE, THOR 3" DURATEC, ORANGE 1000' LENGTHS. "WARNING STOP DIGGING" | | | | | | |
| _ | 165-917984-4 | ED A | \$4.22 | \$4.22 | TERMINAL, TEST, TYPE B GRS A62-515 OR HARMON @32118-001 OR | | | | | | |
| | 610-065626-4 | Ε | \$16.66 | \$16.67 | ULTRA-TECH 15206-01 CONNECTIVITY BLOCK FOR GRS B1 RELAY | | | | | | |
| 2 | 670-007238-4 | EΑ | \$137.14 | \$274.27 | UNIT, THE INSTALLATION AND WIRING OF A DEVICE WHICH REQUIRE A MINIMUM OF FOUR WIRE CONNECT- | | | | | | |
| _ | 670-403183-4 | E | \$24,436.00 | \$24,436.00 | WIRED RACK, 6X6 FARADAY, COMPLETE/GCP3000D2 SINGLE TRK, 20 AMP SSCCIII, 2 ISL MOD, 1 SAFTRAN CHARGER, 1 CRAGG CHARGER 2 RELAY RACKS, SAFTRAN P/N T15383, USE WITH I/S 670-786834-4 | | | | | - | |
| <u> </u> | 450-986008-4 | ₽ | \$7.35 | \$7.35 | WRENCH, TEST POST TYPE B DWG 55393-3, GR.1 | | | | | | |

APPROVED BY RAILROAD

CAR NUMBER

| | Qty. | Store No.: | Location |
|----------------|--|--------------------------------|------------------------|
| | Qty. Class-Item-CD UI | π. | Location: JACKSONVILLE |
| | ⊑ | | m |
| | Price per Item | P.O. | IL S&E |
| | Total Price | P.O. Number: | S&E Proj. No.: 04.0504 |
| | Total Price Item Description | | 504 |
| | 7 | Date Required: | AFE No.: |
| | | Date Shipped: | Drawing No.: |
| | Quantity Shipped | | SFDH44876 |
| | Qı Date Quan. | | 44876 |
| Total Material | Quantity Installed be Date D n. Quan. Qu | Vendor | |
| | alled Date Quan. | : Safetra | |
| \$67,230.58 | Quantity Installed Quantity Date Date Date Returned Quan. Quan. Quan. (Credit) | Vendor: Safetran Systems Corp. | |
| | Special Instructions | Corp. | Page 5/ 5 |